

---

## Cell Phone Signal Booster GSM 900MHz/1800MHz - 800Sqm

---

### Main Features:

- Working System: GSM
- Frequency Range: GSM 900MHz/1800MHz
- Coverage Area: 800 Square Meters

### Images:

---





---

## Technic Specifications:

- Working System: GSM
- Frequency Range: GSM 900MHz/1800MHz
- Coverage Area: 800 Square Meters
- Gain(dB): -GSM/DCS Up link 65/55; GSM/DCS Downlink 70/60; Gain adjustable range MGC $\geq$ 30dB
- Guard band rejection: GSM (BW-60dB) $\leq$ 42 MHz (BW-70dB) $\leq$ 45 MHz; DCS (BW-60dB) $\leq$ 104MHz (BW-70dB) $\leq$ 107MHz
- Power supply: AC110~220V 45~55Hz
- Dimension: Signal Booster: 160 x 121 x 22 mm (L x W x D)

## Package Included:

- 1pc Cell Phone Signal Booster GSM 900MHz/1800MHz - 800Sqm
- 1pc Power Adapter (100-240V)
- 1pc Manual

## Important Notice:

If you are not so sure about the Cell/Mobile Phone Frequency range you are going to booster, please kindly check your local cellular frequency at: <http://worldtimezone.net/gsm.html>

[product\_url:] [Cell Phone Signal Booster GSM 900MHz/1800MHz - 800Sqm](#)

[pdf\_url:]

[http://www.cellmobilephonejammer.com/CellPhoneSignalBoosterGSM900MHz1800MHz800Sqm459\\_22.pdf](http://www.cellmobilephonejammer.com/CellPhoneSignalBoosterGSM900MHz1800MHz800Sqm459_22.pdf)